



Certificate of Analysis



220201-34
Matrix: Edible
Accession Number: 030722UD0002
Harvest/Lot ID:
Seed to Sale: *
Batch Date: 03/07/22
Batch #:
Sample Size Received: 1 units
Retail Product Size:
Ordered: 03/07/22
Completed: 03/10/22
COA Expires: 03/09/23
Sampling Method: SOP Client Method


Mar 10, 2022 | Botanical Processing LLC

Louisville, Kentucky,
 (502) 742-7151



CANNABINOID RESULTS

Total THC 0.041%	Total CBD 3.831%	Total Cannabinoids 4.017%
-----------------------------------	-----------------------------------	--



Analyzed by	Date	Instrument used	Analysis Method
TW	03/08/2022	Shimadzu HPLC w/ PDA	SOP.KY.02.012

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-PDA). SOP.KY.02.005 for sample prep and SOP.KY.02.012 for analysis. % = %w/w = Percent (Weight of Analyte/Weight Product) Total Cannabinoids result reflects the absolute sum of all cannabinoids detected. **Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation Total THC = THC + (THCa*0.877) Total CBD = CBD + (CBDa*0.877)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director
 State License # 19-05-02P
 ISO/IEC 17025:2017

03/10/22



Accreditation 113856

Signature

Signed On



Certificate of Analysis

Botanical Processing LLC

 Louisville, Kentucky,
Telephone: (502) 742-7151
Email: customercare@botanical-

220201
Matrix: Edible
Accession Number: 021422UD0003
Harvest/Lot ID:
Seed to Sale: *
Batch Date: 02/09/22
Batch #:
Sample Size Received: 1 units
Retail Product Size:
Ordered: 02/14/22
Completed: 02/15/22
Expires: 02/14/23
Sampling Method: SOP Client Method

Pesticides						PASSED					
Pesticides	LLOQ	Result	Units	Action Level	Pass / Fail	Pesticides	LLOQ	Result	Units	Action Level	Pass / Fail
Abamectin B1a	0.02	ND	ppm	0.5	PASS	Acephate	0.01	ND	ppm	0.4	PASS
Acequinocyl	0.05	ND	ppm	2	PASS	Acetamiprid	0.01	ND	ppm	0.2	PASS
Aldicarb	0.02	ND	ppm	0.4	PASS	Azoxystrobin	0.01	ND	ppm	0.2	PASS
Bifenazate	0.01	ND	ppm	3.0	PASS	Bifenthrin	0.01	ND	ppm	0.2	PASS
Boscalid	0.01	ND	ppm	0.4	PASS	Carbaryl	0.01	ND	ppm	0.2	PASS
Carbofuran	0.01	ND	ppm	0.2	PASS	Chlorantraniliprole	0.01	ND	ppm	0.2	PASS
Chlorpyrifos	0.01	ND	ppm	0.2	PASS	cis-Permethrin	0.0041	ND	ppm	0.4	PASS
Clofentezine	0.01	ND	ppm	0.2	PASS	Coumaphos	0.01	ND	ppm	0.2	PASS
Cypermethrin	0.02	ND	ppm	1	PASS	Daminozide	0.02	ND	ppm	1	PASS
Diazanone	0.01	ND	ppm	0.2	PASS	Dichlorvos	0.05	ND	ppm	0.1	PASS
Dimethoate	0.01	ND	ppm	0.2	PASS	Dimethomorph	0.005	ND	ppm	0.1	PASS
Ethoprophos	0.01	ND	ppm	0.2	PASS	Etofenprox	0.01	ND	ppm	0.4	PASS
Etoxazole	0.01	ND	ppm	0.2	PASS	Fenhexamid	0.005	ND	ppm	0.1	PASS
Fenoxycarb	0.01	ND	ppm	0.2	PASS	Fenpyroximate	0.01	ND	ppm	0.4	PASS
Fipronil	0.02	ND	ppm	0.4	PASS	Flonicamid	0.01	ND	ppm	1	PASS
Fludioxonil	0.01	ND	ppm	0.4	PASS	Hexythiazox	0.01	ND	ppm	1	PASS
Imazalil	0.01	ND	ppm	0.2	PASS	Imidacloprid	0.01	ND	ppm	0.4	PASS
Kresoxim-Methyl	0.01	ND	ppm	0.4	PASS	Malathion	0.01	ND	ppm	0.2	PASS
Metalaxyl	0.01	ND	ppm	0.2	PASS	Methiocarb	0.01	ND	ppm	0.2	PASS
Methomyl	0.01	ND	ppm	0.4	PASS	Mevinphos	0.01	ND	ppm	0.1	PASS
Myclobutanil	0.01	ND	ppm	0.2	PASS	Naled	0.01	ND	ppm	0.5	PASS
Oxamyl	0.01	ND	ppm	1	PASS	Paclobutrazol	0.01	ND	ppm	0.4	PASS
Permethrins (sum)	0.05	ND	ppm	1	PASS	Phosmet	0.01	ND	ppm	0.2	PASS
Piperonyl Butoxide	0.01	ND	ppm	2	PASS	Prallethrin	0.05	ND	ppm	0.2	PASS
Propiconazole	0.01	ND	ppm	0.4	PASS	Propoxur	0.01	ND	ppm	0.2	PASS
Pyrethrin I	0.01	ND	ppm	1	PASS	Pyridaben	0.01	ND	ppm	0.2	PASS
Spinetoram	0.01	ND	ppm	0.5	PASS	Spinosad (Spinosyn A)	0.01	ND	ppm	0.2	PASS
Spinosad (Spinosyn D)	0.01	ND	ppm	0.2	PASS	Spiromesifen	0.01	ND	ppm	0.2	PASS
Spirotetramat	0.02	ND	ppm	0.2	PASS	Spiroxamine	0.01	ND	ppm	0.2	PASS
Tebuconazole	0.01	ND	ppm	0.4	PASS	Thiacloprid	0.01	ND	ppm	0.2	PASS
Thiamethoxam	0.01	ND	ppm	0.2	PASS	trans-Permethrin	0.0118	ND	ppm	0.4	PASS
Trifloxystrobin	0.01	ND	ppm	0.2	PASS						

Analyzed by	Date	Instrument used	Analysis Method
DB	02/14/2022	Shimadzu LCMSMS 8060	SOP.KY.02.022

Pesticide screening is performed using LC/MS/MS which can screen down to below single digit ppb concentrations for the 57 pesticides analyzed. (Method: SOP.KY.02.022)

Mycotoxins						PASSED					
Analyte	LLOQ	Result	Units	Action Level	Pass / Fail	Analyte	LLOQ	Result	Units	Action Level	Pass / Fail
Aflatoxin B1	0.001	ND	ppm	0.2	PASS	Aflatoxin B2	0.001	ND	ppm	0.2	PASS
Aflatoxin G1	0.001	ND	ppm	0.2	PASS	Aflatoxin G2	0.001	ND	ppm	0.2	PASS
Ocratoxin A+	0.001	ND	ppm	0.2	PASS						

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss
 Lab Director
 State License # 19-05-02P
 ISO/IEC 17025:2017

02/15/22



Accreditation 113856

Signature _____ Signed On _____



Certificate of Analysis

Botanical Processing LLC

 Louisville, Kentucky,
Telephone: (502) 742-7151
Email: customercare@botanical-

220201
Matrix: Edible

Accession Number: 021422UD0003

Harvest/Lot ID:
Seed to Sale: *

Batch Date: 02/09/22

Batch #:
Sample Size Received: 1 units

Retail Product Size:
Ordered: 02/14/22

Completed: 02/15/22

Expires: 02/14/23

Sampling Method: SOP Client Method

Analyzed by	Date	Instrument used	Analysis Method
DB	02/14/2022	Shimadzu LCMSMS 8060	SOP.KY.02.022

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC/MS/MS. (Method: SOP.KY.02.022)

Residual Solvents		PASSED				
Solvent	LLOQ	Result	Units	Action Level (PPM)	Pass/Fail	
2-Propanol	60	ND	ppm	5000	PASS	
Acetone	60	ND	ppm	5000	PASS	
Acetonitrile	60	ND	ppm	410	PASS	
Butane	200	ND	ppm	5000	PASS	
Ethanol	80	ND	ppm	5000	PASS	
Ethyl Acetate	60	ND	ppm	5000	PASS	
Ethyl Ether	40	ND	ppm	5000	PASS	
Heptane	40	ND	ppm	5000	PASS	
Hexane	40	ND	ppm	290	PASS	
Isobutane	200	ND	ppm	5000	PASS	
M/P-Xylene	80	ND	ppm	2170	PASS	
Methanol	40	ND	ppm	3000	PASS	
O-Xylene	40	ND	ppm	2170	PASS	
Pentane	60	ND	ppm	5000	PASS	
Propane	400	ND	ppm	5000	PASS	
Toluene	40	ND	ppm	890	PASS	
Total Xylenes	120	ND	ppm	2170	PASS	

Heavy Metals		PASSED				
Metal	LLOQ	Result	Unit	Action Level	Pass / Fail	
Arsenic	0.2	ND	ppm	2	PASS	
Cadmium	0.2	ND	ppm	2	PASS	
Lead	0.2	ND	ppm	5	PASS	
Mercury	0.2	ND	ppm	1	PASS	

Analyzed by	Date	Instrument used	Analysis Method
DB	02/14/2022	Shimadzu ICP/MS	SOP.KY.02.020

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen for toxic heavy metals (Arsenic, Cadmium, Lead, and Mercury). (Method SOP.KY.02.020)

Microbials		PASSED	
Analyte	Result		
Aspergillus Flavus	not present in 1 gram.		
Aspergillus Fumigatus	not present in 1 gram.		
Aspergillus Niger	not present in 1 gram.		
Aspergillus Terreus	not present in 1 gram.		
E. Coli	not present in 1 gram.		
Salmonella	not present in 1 gram.		

Analyzed by	Date	Instrument used	Analysis Method
TW	02/14/2022	PathogenDX	SOP.KY.02.018

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.KY.02.018) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Analyzed by	Date	Instrument used	Analysis Method
DB	02/14/2022	Shimadzu GC 2010+	SOP.KY.02.016

Residual solvents testing for 16 common extraction solvents is performed via GC/MS. (Method: SOP.KY.02.024)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director

 State License # 19-05-02P
 ISO/IEC 17025:2017

02/15/22



Accreditation 113856

Signature

Signed On